# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS<sup>®</sup>
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



FIGURE 1

#### FIGURE 1B







FIGURE 2A

## FIGURE 2B






FIGURE 3C




FIGURE 4A




FIGURE 4B




FIGURE SA




FIGURE SB





FIGURE 7

HMSC cells transiently transfected with mH2-EGFP






FIGURE 8A




FIGURE 8B





FIGURE 9A






Control


VT after 1st injection 25 mm/sec


Same as above (50 mm/sec)

3<sup>rd</sup> injection

VT termination










FIGURE 10D

### FIGURE 10E

